


Board of Public Works and Safety Agenda Item

Cover Sheet

| MEETING DATE: April 29, 2025 | | | | | | | | |
|--|--|--|--|--|--|--|--|--|
| ⊠ Consent Agenda Item | | | | | | | | |
| ☐ New Item for Discussion | | | | | | | | |
| ☐ Previously Discussed Item | | | | | | | | |
| ☐ Miscellaneous | | | | | | | | |
| ITEM #: <u>9</u> | | | | | | | | |
| ITEM #: <u>9</u> | | | | | | | | |
| ITEM #: 9 INITIATED BY: Justin Hubbard | | | | | | | | |
| | | | | | | | | |
| INITIATED BY: Justin Hubbard | | | | | | | | |



TO: BOARD OF PUBLIC WORKS AND SAFETY

FROM: JUSTIN HUBBARD, PROJECT COORDINATOR, ENGINEERING

SUBJECT: STONY BLUFFS (LOCP-000088-2020)

RELEASE OF PERFORMANCE BOND FOR EROSION CONTROL

DATE: APRIL 29, 2025

Staff respectively requests the following actions from the Board of Public Works and Safety:


1. Release performance bond for Erosion Control.

It is the staff's recommendation that the above actions, for the stated development, are appropriate and acceptable.

Attachments:

- 1. Surety Summary
- 2. Map





PERFORMANCE & MAINTENANCE SURETY SUMMARY

STONY BLUFFS

Permit Number: LOCP-000088-2020

| TYPE | ITEM BONDED | STATUS | CONTRACT \$ | BOND % | BOND \$ | MB EXPIRES | BOND NUMBER |
|------|------------------|----------------------------------|-------------|--------|------------|------------|------------------|
| PB | EROSION CONTROL | PENDING BOPWS APPROVAL 4/29/2025 | 69,426.36 | 110% | 76,369.00 | | PB-ERO-3739836 |
| РВ | RIGHT OF WAY | Released | 96,908.50 | 110% | 106,599.35 | | PB-ROW-3739837 |
| МВ | HMA SURFACE | Released | 34,296.00 | 15% | 5,144.40 | 8/29/2026 | MB-SUR-4172816 |
| МВ | COMMON SIDEWALK | Released | 4,981.58 | 15% | 747.24 | 8/29/2026 | MB-SIDc-4172812 |
| РВ | MONUMENTATION | ACTIVE | 3,510.00 | 110% | 3,861.00 | | PB-MON-4172818 |
| РВ | RIGHT OF WAY | Released | 202,818.05 | 110% | 225,717.80 | | PB-ROW-4172817 |
| МВ | STORM SEWER | Released | 189,637.00 | 15% | 28,445.55 | 8/29/2026 | MB-STO-4172820 |
| РВ | TREES | Released | 28,053.71 | 110% | 30,859.08 | | PB-TRE-4172819 |
| МВ | SANITARY SEWER | ACTIVE | 169,311.00 | 15% | 25,396.65 | 5/24/2025 | MB-SAN-4172815 |
| МВ | STONE | ACTIVE | 21,446.25 | 15% | 3,216.94 | 5/24/2025 | MB-STONE-4172821 |
| МВ | HMA BASE | ACTIVE | 66,906.00 | 15% | 10,035.90 | 5/24/2025 | MB-BASE-4172822 |
| МВ | HMA INTERMEDIATE | ACTIVE | 48,469.68 | 15% | 7,248.15 | 5/24/2025 | MB-INT-4172823 |
| МВ | PATH | ACTIVE | 41,277.50 | 15% | 6,866.70 | 5/24/2025 | MB-TRA-4172814 |
| МВ | CURBS | ACTIVE | 23,810.82 | 15% | 3,571.62 | 5/24/2025 | MB-CUR-4172813 |

 $Submittals \ for \ the \ above-referenced \ bonds \ are \ acceptable \ and \ all \ other \ submittals \ required \ are \ in \ order.$

Justin Hubbard
City of Noblesville